

**BEFORE THE
MEDICAL BOARD OF CALIFORNIA
DEPARTMENT OF CONSUMER AFFAIRS
STATE OF CALIFORNIA**

**In the Matter of the First Amended
Accusation Against:**

Eric Michael Jacobson, M.D.

**Physician's and Surgeon's
Certificate No. G 36315**

Respondent.

Case No. 800-2017-033668

DECISION

The attached Stipulated Surrender of License and Order is hereby adopted as the Decision and Order of the Medical Board of California, Department of Consumer Affairs, State of California.

This Decision shall become effective at 5:00 p.m. on January 3, 2023.

IT IS SO ORDERED December 29, 2022.

MEDICAL BOARD OF CALIFORNIA



**Reji Varghese
Deputy Director**

1 ROB BONTA
Attorney General of California
2 ROBERT MCKIM BELL
Supervising Deputy Attorney General
3 COLLEEN M. MCGURRIN
Deputy Attorney General
4 State Bar Number 147250
California Department of Justice
5 300 South Spring Street, Suite 1702
Los Angeles, CA 90013
6 Telephone: (213) 269-6546
Facsimile: (916) 731-2117
7 *Attorneys for Complainant*

8
9 **BEFORE THE**
MEDICAL BOARD OF CALIFORNIA
10 **DEPARTMENT OF CONSUMER AFFAIRS**
11 **STATE OF CALIFORNIA**

12 In the Matter of the First Amended Accusation
Against:
13 ERIC MICHAEL JACOBSON, M.D.
14 Behavioral Health Services
15 576 Hartnell Street, Suite 300
Monterey, CA 93940
16 Physician's and Surgeon's Certificate Number
17 G 36315
18 Respondent.

Case No. 800-2017-033668
OAH No. 2021040596
**STIPULATED SURRENDER OF
LICENSE AND ORDER**

19
20 IT IS HEREBY STIPULATED AND AGREED-by and between the parties to the above-
21 entitled proceedings that the following matters are true:

22 **PARTIES**

- 23 1. William Prasifka (Complainant) is the Executive Director of the Medical Board of
24 California (Board). He brought this action solely in his official capacity and is represented in this
25 matter by Rob Bonta, Attorney General of the State of California, by Colleen M. McGurrin,
26 Deputy Attorney General.
27 2. ERIC MICHAEL JACOBSON, M.D. (Respondent) is represented in this proceeding
28 by attorney Barry C. Marsh, whose address is Hinshaw, Marsh, Still & Hinshaw, LLP, 12901

1 Saratoga Avenue, Saratoga, CA 95070-9998.

2 3. On or about April 24, 1978, the Board issued Physician's and Surgeon's Certificate
3 Number G 36315 to ERIC MICHAEL JACOBSON, M.D. (Respondent). The Physician's and
4 Surgeon's Certificate was in full force and effect at all times relevant to the charges brought in
5 First Amended Accusation No. 800-2017-033668 and will expire on April 30, 2024, unless
6 renewed.

7 **JURISDICTION**

8 4. First Amended Accusation No. 800-2017-033668 was filed before the Board, and is
9 currently pending against Respondent. The First Amended Accusation and all other statutorily
10 required documents were properly served on Respondent on March 9, 2022. Respondent timely
11 filed his Notice of Defense contesting the First Amended Accusation. A copy of First Amended
12 Accusation No. 800-2017-033668 is attached as Exhibit A and incorporated by reference.

13 **ADVISEMENT AND WAIVERS**

14 5. Respondent has carefully read, fully discussed with counsel, and understands the
15 charges and allegations in First Amended Accusation No. 800-2017-033668. Respondent also
16 has carefully read, fully discussed with counsel, and understands the effects of this Stipulated
17 Surrender of License and Order.

18 6. Respondent is fully aware of his legal rights in this matter, including the right to a
19 hearing on the charges and allegations in the First Amended Accusation; the right to confront and
20 cross-examine the witnesses against him; the right to present evidence and to testify on his own
21 behalf; the right to the issuance of subpoenas to compel the attendance of witnesses and the
22 production of documents; the right to reconsideration and court review of an adverse decision;
23 and all other rights accorded by the California Administrative Procedure Act and other applicable
24 laws.

25 7. Respondent freely, voluntarily, knowingly, and intelligently waives and gives up each
26 and every right set forth above.

27 //
28 //

1 CULPABILITY

2 8. Respondent understands that the charges and allegations in First Amended
3 Accusation No. 800-2017-033668, if proven at a hearing, constitute cause for imposing discipline
4 upon his Physician's and Surgeon's Certificate.

5 9. For the purpose of resolving the First Amended Accusation without the expense and
6 uncertainty of further proceedings, Respondent agrees that the allegations, if proven by
7 Complainant at a hearing, would establish a factual basis for the charges contained in the First
8 Amended Accusation and that those charges constitute cause for discipline. Respondent hereby
9 gives up and relinquishes his right to contest that cause for discipline exists based on those
10 charges.

11 10. Respondent understands that by signing this stipulation he enables the Board to issue
12 an order accepting the surrender of his Physician's and Surgeon's Certificate without further
13 process.

14 CONTINGENCY

15 11. This stipulation shall be subject to approval by the Board. Respondent understands
16 and agrees that counsel for Complainant and the staff of the Board may communicate directly
17 with the Board regarding this stipulation and surrender, without notice to or participation by
18 Respondent or his counsel. By signing the stipulation, Respondent understands and agrees that he
19 may not withdraw his agreement or seek to rescind the stipulation prior to the time the Board
20 considers and acts upon it. If the Board fails to adopt this stipulation as its Decision and Order,
21 the Stipulated Surrender and Disciplinary Order shall be of no force or effect, except for this
22 paragraph, it shall be inadmissible in any legal action between the parties, and the Board shall not
23 be disqualified from further action by having considered this matter.

24 12. The parties understand and agree that Portable Document Format (PDF) and facsimile
25 copies of this Stipulated Surrender of License and Order, including PDF and facsimile signatures
26 thereto, shall have the same force and effect as the originals.

27 13. In consideration of the foregoing admissions and stipulations, the parties agree that
28 the Board may, without further notice or formal proceeding, issue and enter the following Order:

1 ORDER

2 IT IS HEREBY ORDERED that Physician's and Surgeon's Certificate Number G 36315,
3 issued to Respondent ERIC MICHAEL JACOBSON, M.D., is surrendered and accepted by the
4 Board, effective December 30, 2022.

5 1. The surrender of Respondent's Physician's and Surgeon's Certificate and the
6 acceptance of the surrendered license by the Board shall constitute the imposition of discipline
7 against Respondent. This stipulation constitutes a record of the discipline and shall become a part
8 of Respondent's license history with the Board.

9 2. Respondent shall lose all rights and privileges as a physician and surgeon in
10 California as of the effective date of the Board's Decision and Order.

11 3. Respondent shall cause to be delivered to the Board his pocket license and, if one was
12 issued, his wall certificate on or before the effective date of the Decision and Order.

13 4. If Respondent ever files an application for licensure or a petition for reinstatement in
14 the State of California, the Board shall treat it as a petition for reinstatement. Respondent must
15 comply with all the laws, regulations and procedures for reinstatement of a revoked or
16 surrendered license in effect at the time the petition is filed, and all of the charges and allegations
17 contained in First Amended Accusation No. 800-2017-033668 shall be deemed to be true, correct
18 and admitted by Respondent when the Board determines whether to grant or deny the petition.

19 5. Respondent shall pay the agency its costs of investigation and enforcement in the
20 amount of \$7,747.50, effective January 1, 2022, prior to issuance of a new or reinstated license.

21 6. If Respondent should ever apply or reapply for a new license or certification, or
22 petition for reinstatement of a license, by any other health care licensing agency in the State of
23 California, all of the charges and allegations contained in First Amended Accusation, No. 800-
24 2017-033668 shall be deemed to be true, correct, and admitted by Respondent for the purpose of
25 any Statement of Issues or any other proceeding seeking to deny or restrict licensure.

26 ACCEPTANCE

27 I have carefully read the above Stipulated Surrender of License and Order and have fully
28 discussed it with my attorney Barry C. Marsh. I understand the stipulation and the effect it will


1 have on my Physician's and Surgeon's Certificate. I enter into this Stipulated Surrender of
2 License and Order freely, voluntarily, knowingly, and intelligently, and agree to be bound by the
3 Decision and Order of the Medical Board of California.

4
5 DATED: 6/22/22


ERIC MICHAEL JACOBSON, M.D.
Respondent

6
7
8 I have read and fully discussed with Respondent ERIC MICHAEL JACOBSON, M.D. the
9 terms and conditions and other matters contained in this Stipulated Surrender of License and
10 Order. I approve its form and content.

11
12 DATED: 6/23/2022


BARRY C. MARSH
Attorney for Respondent


13
14
15 **ENDORSEMENT**

16 The foregoing Stipulated Surrender of License and Order is hereby respectfully submitted
17 for consideration by the Medical Board of California of the Department of Consumer Affairs.

18
19 DATED: June 24, 2022

Respectfully submitted,

20 ROB BONTA
Attorney General of California
21 ROBERT MCKIM BELL
Supervising Deputy Attorney General



22 COLLEEN M. MCGURRIN
23 Deputy Attorney General
24 *Attorneys for Complainant*

25
26
27 LA2019504234
65220647.docx

Exhibit A

First Amended Accusation No. 800-2017-033668

1 ROB BONTA
Attorney General of California
2 ROBERT MCKIM BELL
Supervising Deputy Attorney General
3 COLLEEN M. MCGURRIN
Deputy Attorney General
4 State Bar Number 147250
California Department of Justice
5 300 South Spring Street, Suite 1702
Los Angeles, CA 90013
6 Telephone: (213) 269-6546
Facsimile: (916) 731-2117
7

Attorneys for Complainant

8
9
10 **BEFORE THE**
MEDICAL BOARD OF CALIFORNIA
11 **DEPARTMENT OF CONSUMER AFFAIRS**
STATE OF CALIFORNIA
12

13 In the Matter of the First Amended Accusation
14 Against:

Case No. 800-2017-033668

FIRST AMENDED ACCUSATION

15 ERIC MICHAEL JACOBSON, M.D.

16 Behavioral Health Services
576 Hartnell Street, Suite 300
17 Monterey, California 93940

18 Physician's and Surgeon's Certificate Number
G 36315,

19 Respondent.
20

21 **PARTIES**

22 1. William Prasifka (Complainant) brings this First Amended Accusation solely in his
23 official capacity as the Executive Director of the Medical Board of California (Board).

24 2. On April 24, 1978, the Board issued Physician's and Surgeon's Certificate Number G
25 36315 to Eric Michael Jacobson, M.D. (Respondent). That license was in full force and effect at
26 all times relevant to the charges brought herein and will expire on April 30, 2024, unless renewed.

27 //

28 //

JURISDICTION

1
2 3. This First Amended Accusation is brought before the Board under the authority of the
3 following laws. All section references are to the Business and Professions Code (Code) unless
4 otherwise indicated.

5 4. Section 22 of the Code provides that "Board" as used in any provisions of this Code,
6 refers to the board in which the administration of the provision is vested, and unless otherwise
7 expressly provided, shall include "committee," "department," "division," "examining
8 committee," and "agency."

9 5. Section 2227 of the Code provides that a licensee who is found guilty under the
10 Medical Practice Act may have his license revoked, suspended for a period not to exceed one
11 year, placed on probation and required to pay the costs of probation monitoring, or such other
12 action taken in relation to discipline as the Board deems proper.

13 6. Section 2004 of the Code provides, in pertinent part: The board shall have the
14 responsibility for the following:

15 (a) The enforcement of the disciplinary . . . provisions of the Medical Practice
16 Act.

17 (b) The administration and hearing of disciplinary actions.

18 (c) Carrying out disciplinary actions appropriate to findings made by a panel or
an administrative law judge.

19 (d) Suspending, revoking, or otherwise limiting certificates after the conclusion
20 of disciplinary actions.

21 (e) Reviewing the quality of medical practice carried out by physician and
22 surgeon certificate holders under the jurisdiction of the board.

23 (f) . . . (i).

24 7. Section 2220 of the Code provides that the Board may take action against all persons
25 guilty of violating this chapter and shall enforce and administer this article as to physician and
26 surgeon certificate holders, and have all the powers granted in this chapter for these purposes
27 including, investigating complaints from the public that a physician and surgeon may be guilty of
unprofessional conduct.

28 28//

28

1 (b) In the case of a disciplined licensee that is a corporation or a partnership, the order
may be made against the licensed corporate entity or licensed partnership.

2 (c) A certified copy of the actual costs, or a good faith estimate of costs where actual
3 costs are not available, signed by the entity bringing the proceeding or its designated
4 representative shall be prima facie evidence of reasonable costs of investigation and
5 prosecution of the case. The costs shall include the amount of investigative and
6 enforcement costs up to the date of the hearing, including, but not limited to, charges
7 imposed by the Attorney General.

8 (d) The administrative law judge shall make a proposed finding of the amount of
9 reasonable costs of investigation and prosecution of the case when requested pursuant
10 to subdivision (a). The finding of the administrative law judge with regard to costs
11 shall not be reviewable by the board to increase the cost award. The board may
12 reduce or eliminate the cost award, or remand to the administrative law judge if the
13 proposed decision fails to make a finding on costs requested pursuant to subdivision
14 (a).

15 (e) If an order for recovery of costs is made and timely payment is not made as
16 directed in the board's decision, the board may enforce the order for repayment in any
17 appropriate court. This right of enforcement shall be in addition to any other rights
18 the board may have as to any licensee to pay costs.

19 (f) In any action for recovery of costs, proof of the board's decision shall be
20 conclusive proof of the validity of the order of payment and the terms for payment.

21 (g) (1) Except as provided in paragraph (2), the board shall not renew or
22 reinstate the license of any licensee who has failed to pay all of the costs ordered
23 under this section.

24 (2) Notwithstanding paragraph (1), the board may, in its discretion, conditionally
25 renew or reinstate for a maximum of one year the license of any licensee who
26 demonstrates financial hardship and who enters into a formal agreement with the
27 board to reimburse the board within that one-year period for the unpaid costs.

28 (h) All costs recovered under this section shall be considered a reimbursement for
costs incurred and shall be deposited in the fund of the board recovering the costs to
be available upon appropriation by the Legislature.

(i) Nothing in this section shall preclude a board from including the recovery of the
costs of investigation and enforcement of a case in any stipulated settlement.

(j) This section does not apply to any board if a specific statutory provision in that
board's licensing act provides for recovery of costs in an administrative disciplinary
proceeding.¹

//

//

Effective January 1, 2022, subdivision (k) of Section 125.3, which exempted physicians
and surgeons from paying recovery of the costs of investigation and prosecution by the Board,
was repealed.

1 **FIRST CAUSE FOR DISCIPLINE**

2 (Gross Negligence)

3 11. Respondent Eric Michael Jacobson, M.D. is subject to disciplinary action under
4 section 2234, subdivision (b), in that he committed acts and omissions constituting gross
5 negligence in his care and treatment of Patient A.² The circumstances are as follows:

6 12. On or about September 24, 2013, Patient A, a then 52-year old female, was admitted
7 to Community Hospital of the Monterey Peninsula (CHOMP) complaining of severe anxiety and
8 depression, stating she just wanted to die and did not know how she would do it, "maybe
9 overdose," or cut her wrists. At the time of her admission, she was taking Norco,³ Remeron,⁴
10 Klonopin,⁵ and was started on Seroquel.⁶ She acknowledged she was unable "to contract not to
11 overtake her medications" and sometimes took up to 8 Norco a day, which was more than
12 prescribed. She had been taking Klonopin for years but did not feel it was helping her anymore
13 and was willing to decrease it. She reported that the day before her admission, she "took 6

14 _____
15 ² For privacy reasons, the patient is identified as Patient A, or "the patient." The patient's
16 full name will be disclosed to Respondent upon a timely request for discovery pursuant to
17 Government Code section 11507.6.

18 ³ Norco, a Schedule II Controlled Substance, is the brand name for the narcotic drug
19 containing a combination of acetaminophen and hydrocodone (an opiate) used to relieve
20 moderate to moderately severe pain. Acetaminophen is a less potent pain reliever that increases
21 the effects of hydrocodone. Other brand names of this medication are Hycet, Lorcet, Lortab
22 10/325, Lortab 5/325, Lortab 7.5/325, Lortab Elixir, Verdrocet, and Xodol.

23 ⁴ Remeron is the brand name for the generic drug mirtazapine, which is an antidepressant
24 and is generally used to treat major depressive disorder. It is still not fully understood the way
25 mirtazapine works. However, it is thought to positively affect communication between nerve cells
26 in the central nervous system and/or restore chemical balance in the brain.

27 ⁵ Klonopin, a Schedule IV Controlled Substance, is the brand name for the generic drug
28 clonazepam, which is a benzodiazepine that affects chemicals in the brain that may be unbalanced
to treat seizures, certain types of anxiety disorders, and is used to treat panic disorder (including
agoraphobia - an irrational and often disabling fear of being out in public) in adults. There is a
warning associated with the use of benzodiazepines with opioid drugs that have led to slowed or
trouble breathing and death, and advises to get medical help right away if one feels very sleepy or
dizzy, has slow, shallow, or trouble breathing, or passes out.

⁶ Seroquel is the brand name for the generic drug quetiapine, which is an antipsychotic
medicine that works by changing the actions of chemicals in the brain, and is used to treat
schizophrenia in adults and children who are at least 13 years old and bipolar disorder (manic
depression) in adults and children who are at least 10 years old.

1 Klonopin [more than prescribed] just because I had so much anxiety I couldn't even take a
2 shower" or get out of bed, although she had been sleeping 12-16 hours a day. She reported a
3 history of alcohol abuse and a prior conviction for driving under the influence of alcohol years
4 earlier. She also had a DUI for driving under the influence of her prescription medications in
5 2010 and was afraid to drive again, fearful she might be arrested as she had been driving on her
6 medications for years. She reported having racing thoughts of killing herself by taking all of her
7 medications and not wanting to wake up. At that time, her prescribed Klonopin dosage was 1 mg
8 three times a day, although she admitted taking more than prescribed and did not want to do it
9 anymore, was reduced to 0.5 mg two times a day with an additional 0.5 mg as needed for anxiety.
10 She was noted to have psychomotor retardation⁷ and was diagnosed with recurrent severe
11 depression.

12 13. She was hospitalized at CHOMP until October 4, 2013. During that time, she
13 reported a previous hospitalization for pneumonia and probable methadone overdose, had a
14 history of heroin use many years earlier and had abused methadone and Percocet in the past. She
15 was noted to have a history of polysubstance abuse and benzodiazepine dependence, and was
16 diagnosed with bipolar disorder⁸ type II. Cymbalta⁹ was added for her depression, and the
17 Klonopin was subsequently increased to 1 mg in the morning and 0.5 mg in the afternoon, with an
18 additional 0.5 mg as needed for anxiety. Her plan, upon discharge, was to be admitted to
19 CHOMP for partial hospitalization, and she would be followed by Respondent on a weekly basis.
20

21
22 ⁷ Psychomotor retardation is a generalized slowing of physical and emotional reaction,
such as that seen in major depression and in catatonic schizophrenia.

23 ⁸ Bipolar disorder, formerly known as manic depression, is a mood disorder that causes
24 radical emotional changes and mood swings, from manic, restless highs to depressive, listless
lows. Most bipolar individuals experience alternating episodes of mania and depression.

25 ⁹ Cymbalta is the brand name for the generic drug duloxetine, which is a selective
26 serotonin and norepinephrine reuptake inhibitor antidepressant (SSNRI) that affects chemicals in
27 the brain that may be unbalanced in people with depression. Cymbalta is used to treat major
28 depressive disorder in adults and to treat general anxiety disorder in adults and children who are
at least 7 years old. It can also be used in adults to treat fibromyalgia (a chronic pain disorder), or
chronic muscle or joint pain (such as low back pain and osteoarthritis pain), and to treat pain
caused by nerve damage in adults with diabetes (diabetic neuropathy).

1 14. On or about October 7, 2013, Patient A was admitted to CHOMP for partial
2 hospitalization for outpatient treatment and told a therapist that she had a history of drug and
3 alcohol abuse and nearly died of a heart attack the last time she overdosed.

4 15. On or about October 9, 2013, the patient told a nurse that she is dependent upon
5 opiates for headaches and benzodiazepines for anxiety and fears. However, they were not helping
6 her to get better. She was hoping to get onto safer medications and decrease her risk of
7 dependency and addiction.

8 16. On or about October 10, 2013, the patient was seen by Respondent who noted she had
9 a recent driving under the influence case involving her prescription medications and was afraid
10 she would be caught again. He reported she takes "opiate analgesics and benzodiazepines, which
11 are concerning" and that her benzodiazepine dose had been considerably lowered during her
12 hospitalization. She was not requesting to increase it. He noted she was taking 1 mg of
13 clonazepam in the morning – about 2.5 mg daily in divided doses, which was an increase from
14 her discharge dosage. Respondent noted that she was disabled; however, he failed to document
15 any other information regarding her disability. He increased the Cymbalta to determine if it
16 exacerbates or decreases her anxiety, and discontinued mirtazapine 45 mg at bedtime; however,
17 he failed to document the reason this medication was to be discontinued.

18 17. Respondent next saw the patient on or about October 16, 2013, and included 45 mg of
19 mirtazapine at bedtime; however, he had planned to discontinue this medication on the prior visit
20 according to his documented plan. He further noted that the patient takes a total of about 3 mg of
21 clonazepam a day, which was an increase from the prior visit and the hospital discharge dosage.
22 He decreased Cymbalta with the intent to probably discontinue it.

23 18. On or about October 21, 2013, the patient told a nurse that she had been hospitalized
24 three times – once for cutting her wrists, and twice for overdoses.

25 19. On or about October 25, 2013, the patient saw Respondent, who again included 45
26 mg of mirtazapine at bedtime as part of her medications; however, his plan was to discontinue
27 this medication on October 10. Her anxiety level was the same despite the increase and more
28 consistent dosing of clonazepam and noted that the "initial increase in clonazepam was helpful

1 for her, but she lost that effect fairly quickly” and she did not feel any better. Respondent,
2 however, failed to consider how the chronic benzodiazepine prescription in a known patient with
3 a past history of alcoholism and drug addiction were actually complicating her difficulties and
4 that the rebound anxiety could well have been a consequence of her long term benzodiazepine
5 addiction. Respondent discontinued the Cymbalta on this visit.

6 20. On or about October 28, 2013, Respondent saw the patient and again included 45 mg
7 of mirtazapine at bedtime; however, he had planned to discontinue this medication on the October
8 10 visit according to his documented plan.

9 21. On or about November 6, 2013, Respondent saw the patient and noted she was taking
10 1.5 mg of clonazepam twice a day and further documented that the patient’s medications included
11 45 mg of mirtazapine at bedtime, which was to have been discontinued by Respondent in
12 October.¹⁰

13 22. The patient saw Respondent again on or about November 15, 2013, who reported her
14 anxiety was 90% better. His plan was to add 50 mg of topiramate¹¹ at bedtime as a prophylactic
15 medicine for her migraine headaches, to be titrated up to 150 mg with weekly increments, and he
16 would see her when she was discharged from partial hospitalization.

17 23. On or about November 20, 2013, Respondent saw the patient who was discharged
18 from her partial hospitalization at CHOMP. His plan was to follow her medically upon discharge,
19 and her medications were to remain the same, which included 3 mg of clonazepam daily and
20 Norco; however, he failed to include the recent prescription for topiramate, which he had added
21 on the prior visit, and failed to document the patient’s responses to that medication.

22 24. On or about November 22, 2013, Respondent saw the patient at her first regularly

23 ¹⁰ Respondent's subsequent progress notes continued to include this medication as one of
24 the patient's medications, so it is unclear if was ever discontinued by Respondent on October 10,
2013, as indicated in his treatment plan.

25 ¹¹ Topiramate, also known by the brand names Qudexy XR Sprinkle, Topamax, Topamax
26 Sprinkle, Trokendi XR, and Topiragen, is a seizure medicine, also called an anticonvulsant, and
27 is used to treat certain types of seizures in adults and children who are at least 2 years old. Some
28 brands of topiramate are also used to prevent migraine headaches in adults and teenagers who are
at least 12 years old. These medicines will only prevent migraine headaches or reduce the number
of attacks, but will not treat a headache that has already begun.

1 scheduled outpatient visit who reported that her anxiety "is gone" and that she continued to do
2 quite well after her discharge. He listed her medications; however, he failed to include the
3 prescription for topiramate and failed to document the patient's responses to that medication.

4 25. On or about December 10, 2013, Respondent saw the patient noting it was her first
5 regularly scheduled outpatient visit; however, the prior visit was the patient's first documented
6 outpatient visit.

7 26. Respondent saw the patient on or about January 15, 2014, and again noted this was
8 her first regularly scheduled outpatient visit, which had actually occurred almost two months
9 earlier. Her primary complaint was anxiety and that she had been quite sick with nausea, general
10 sedation, and dysphoria¹² after she failed to follow the prescribed titration schedule of the
11 topiramate, and did not want to restart it. He planned to resume the 50 mg of topiramate at
12 bedtime for a week, and try to increase up to 100 mg, but no further.

13 27. On or about February 13, 2014, Respondent saw the patient and noted he saw the
14 patient "today as her first regularly scheduled outpatient visit" even though that had occurred
15 three months earlier. She reported "daytime tiredness and fatigue with sleepiness and no energy
16 to keep up with things" and that "she wakes up feeling fatigued." He documented that the
17 patient's medications included 1.5 mg of clonazepam two times daily, and 50 mg of topiramate at
18 bedtime and titrating up to 200 mg at bedtime; however, he had decreased the topiramate titration
19 to 100 mg on the prior visit. He further considered decreasing mirtazapine; however, he planned
20 to discontinue this medication in October 2013 and failed to document why there was a
21 discrepancy in the records.

22 28. On or about March 27, 2014, Respondent saw the patient and noted she was taking 1
23 mg of clonazepam twice a day; however, she had been taking 1.5 mg twice a day at the last visit.
24 On this visit, he planned to decreased clonazepam to 1 mg in the morning and 1.5 mg at bedtime
25 for two weeks, and if there was no increase in her anxiety, he would reduce it to 1 mg twice a
26 day.

27 ¹² Dysphoria is defined as a mood of general dissatisfaction, restlessness, depression, and
28 anxiety; a feeling of unpleasantness or discomfort.

1 29. On or about April 24, 2014, Respondent saw the patient again who was experiencing
 2 a lot of anxiety and stated that “her family thinks she sleeps too much during the day.”
 3 Respondent, however, failed to correlate patient and family reports and clinical observations of
 4 excessive sedation in the patient who was taking benzodiazepines along with opiates and other
 5 psychiatric medications. His plan was to increase her clonazepam to 1.5 mg twice a day or 1 mg
 6 three times a day.

7 30. On or about June 5, 2014, the patient saw Respondent who reported she was not
 8 doing well, was crying all the time, and felt very depressed, and was still taking 3 mg of
 9 clonazepam a day along with Norco as well as her other medications. He added venlafaxine XR¹³
 10 to her medications.

11 31. On or about August 20, 2014, the patient saw Respondent and told him she was very¹⁴
 12 depressed and very anxious. She had tremors that are persistent and worsen at times when she
 13 was more nervous. She was taking 3 mg of the benzodiazepine clonazepam while taking two
 14 pills of Norco at a time 1-3 times a day.¹⁴ She told Respondent that her “children tell her that she
 15 is overmedicated and that this is a problem” and reported that she “fell in the kitchen. She got up
 16 at night quickly, went to the kitchen, and fell.” She was very worried, very anxious, and very
 17 apprehensive. Respondent, however, failed to correlate patient and family reports and clinical
 18 observations of excessive sedation in the patient who was taking benzodiazepines along with
 19 opiates and other psychiatric medications. He thought this was probably a syncopal¹⁵ episode and
 20

21 ¹³ Venlafaxine XR, is the generic name of the brand name drug Effexor XR, is a selective
 22 serotonin and norepinephrine reuptake inhibitor (SNRIs), is an antidepressant that affects
 23 chemicals in the brain that may be unbalanced in people with depression and is used to treat
 major depressive disorder, anxiety, and panic disorder. The XR stands for extra release tablets, or
 capsules.

24 ¹⁴ Throughout Respondent’s care and treatment of the patient up to this point, she had
 25 been taking the opiate Norco and the benzodiazepine clonazepam, which can lead to slowed or
 26 trouble breathing and death. One should get medical help right away if they feel very sleepy or
 dizzy, have slow, shallow, or trouble breathing, or passes out.

27 ¹⁵ Syncopal means relating to syncope, which is a transient (and usually sudden) loss of
 consciousness, accompanied by an inability to maintain an upright posture.

1 added 5 mg of aripiprazole¹⁶ to her medications. He further failed to consider how the chronic
2 benzodiazepine prescription in a patient with a known history of alcoholism and drug addiction
3 were actually complicating her difficulties and that the rebound anxiety could well have been a
4 consequence of her long term benzodiazepine addiction.

5 32. On or about September 25, 2014, Respondent saw the patient again who reported that
6 she is sluggish during the day and "feels very sluggish and tired, particular in the mornings, and it
7 seems like a hangover from her drugs." Respondent noted that the patient would let him know in
8 5 to 6 days how she is doing; however, there is no progress note or entries regarding any phone
9 call from the patient in the chart.

10 33. According to the patient's Controlled Substance Utilization Review & Evaluation
11 System (CURES)¹⁷ report, on October 13, 2014, she filled a prescription for 120 tabs of 350 mg
12 carisoprodol¹⁸ from provider DMK, and 90 tabs of 1 mg of clonazepam from different provider
13 NBR two days later. On October 21, she filled a prescription for 180 tabs of Norco from provider
14 DMK. On October 29, 2014, the patient filled a prescription for 180 tabs of 0.5 mg of
15 clonazepam from Respondent even though she had filled 90 tabs of 1 mg of clonazepam from
16 provider NBR's prescription 14-days earlier.

17 34. Respondent saw the patient on or about October 31, 2014, and made some minor
18 changes to her medications; however, he failed to include carisoprodol in the patient's
19 medications list, which she filled on October 13, 2014.

20 ¹⁶ Aripiprazole is the generic name of the brand name drug Abilify, which is an
21 antipsychotic medicine that is used to treat the symptoms of psychotic conditions such as
22 schizophrenia and bipolar I disorder (manic depression) and is also used together with other
medicines to treat major depressive disorder in adults.

23 ¹⁷ CURES is a database of Schedule II, III and IV controlled substance prescriptions
24 dispensed in California serving the public health, regulatory oversight agencies, and law
enforcement. CURES 2.0 is committed to reducing prescription drug abuse and diversion without
affecting legitimate medical practice or patient care.

25 ¹⁸ Carisoprodol is the generic name for the Schedule IV Controlled Substance also known
26 by the brand name drugs Soma and Vanadom, which is a muscle relaxer that blocks pain
27 sensations between the nerves and the brain. It is used together with rest and physical therapy to
28 treat skeletal muscle conditions such as pain or injury and should only be used for short periods
(up to two or three weeks) because there is no evidence of its effectiveness in long term use, and
most skeletal muscle injuries are generally of short duration.

1 35. In November 2014, she filled prescriptions for the 120 tablets of carisporodol and 180
2 tablets of Norco from provider DMK.

3 36. On December 5, 2014, the patient filled prescriptions for 90 tabs of 1 mg of
4 clonazepam from Respondent, 120 tabs of carisporodol, and 240 tabs of Norco from provider
5 DMK on other dates that month, and another 180 tabs of 0.5 mg of clonazepam from Respondent
6 on December 19.

7 37. On January 6, 2015, the patient filled another prescription for 90 tabs of clonazepam
8 from Respondent, and 120 tabs of carisporodol from provider DMK. She further filled 120 tabs
9 of Norco, and another 240 tabs of Norco from provider DMK later that month.

10 38. On or about February 5, 2015, Respondent saw the patient again who was still taking
11 two tabs of Norco 1-2 times a day while taking up to 3 mg of clonazepam. He noted she had
12 some skin lesions of her face, which were red and raised, and looked as if they had been picked
13 on. He made no changes to her medications.

14 39. On or about February 6, 2015, Respondent reportedly received a fax from
15 UnitedHealthcare alerting him that the patient had filled a prescription for clonazepam from
16 another physician while obtaining them from him from July through October 2014; however,
17 Respondent failed to document this in the patient's chart or in the next progress note, and there is
18 no copy of this fax in the patient's certified records. Respondent further failed to run a CURES
19 report to determine what controlled substances the patient had been receiving from other
20 providers, and failed to have or document any discussion with the patient regarding what other
21 prescriptions she was obtaining from other providers.

22 40. In February 2015, the patient filled prescriptions for 120 tabs of carisporodol and 240
23 tabs of Norco from provider DMK.

24 41. In March 2015, the patient filled prescriptions for 90 tabs of clonazepam from
25 Respondent, and 120 tabs of carisporodol and 240 tabs of Norco from provider DMK.

26 42. In April 2015, the patient filled prescriptions for 90 tabs of clonazepam from
27

1 Respondent, 120 tabs of 30 mg oxycodone hydrochloride,¹⁹ 120 tabs of carisoprodol, and 240
2 tabs of Norco from provider DMK.

3 43. On or about May 6, 2015, Respondent saw the patient, noting he last saw her on
4 December 5, 2014; however, according to the progress notes, he had seen the patient on February
5 5, 2015. Respondent lists the patient's medications; however, it does not include carisoprodol or
6 the opiate oxycodone HCL. He noted that the patient did not have a primary care physician or a
7 therapist, and she relies on him to talk about things.

8 44. In May 2015, the patient filled prescriptions for 90 tabs of clonazepam from
9 Respondent, 120 tabs of carisporodol, 180 tabs of 15 mg of oxycodone HCL, and 240 tabs of
10 Norco from provider DMK.

11 45. In June 2015, the patient filled prescriptions for 90 tabs of clonazepam from
12 Respondent, 120 tabs of carisporodol, and 150 tabs of oxycodone HCL from provider DMK.

13 46. On or about June 17, 2015, Respondent saw the patient noting he last saw her on
14 December 5, 2014; however, according to the progress notes, he had seen her in February and
15 May 2015. During this visit, Respondent noted that the patient was "already impaired cognitively
16 and feels sluggish during the day" and lists her medications; however, the list does not include the
17 oxycodone or carisoprodol even though she filled the carisoprodol the day before, and filled a
18 prescription for 180 tabs of oxycodone on May 21, 2015. Respondent failed to explore the
19 patient's drug addiction, alcohol abuse disorder, make any comments about rehabilitation or
20 participation in a twelve-step program. The patient reported that one of her sons was using her
21 heroin, which she had used in the past; however, Respondent failed to explore whether the patient
22 might be using recreational or illicit drugs or any other substances she may have been taking.

23 47. In July 2015, the patient filled prescriptions for 90 tabs of clonazepam from
24 Respondent, 240 tabs of Norco, 120 tabs of oxycodone HCL, 120 tabs of carisporodol, another

25 ¹⁹ Oxycodone Hydrochloride (HCL) is the generic name for the Schedule II controlled
26 substance also known by the brand names Oxaydo, OxyContin, Oxyfast, Roxicodone, RoxyBond,
27 Xtampza ER, which is an opioid pain medication sometimes called a narcotic used to treat
28 moderate to severe pain. The extended-release form of oxycodone is for around-the-clock
treatment of pain and should not be used on an as-needed basis for pain. This drug has a high
potential for abuse which may lead to severe psychological or physical dependence.

1 240 tabs of Norco from provider DMK, and another 90 tabs of 1 mg of clonazepam from a
2 different provider MAB.

3 48. In August 2015, the patient filled prescriptions for 120 tabs of oxycodone HCL, 120
4 tabs of carisporodol, 240 tabs of Norco from provider DMK, and 90 tabs of clonazepam from
5 provider MAB.

6 49. In September 2015, the patient filled prescriptions for 120 tabs of oxycodone HCL,
7 120 tabs of carisporodol, 240 tabs of Norco from provider DMK, and 90 tabs of clonazepam from
8 provider MAB.

9 50. In October 2015, the patient filled prescriptions for 120 tabs of oxycodone HCL, 120
10 tabs of carisporodol, 240 tabs of Norco from provider DMK, and 90 tabs of clonazepam from
11 provider MAB.

12 51. On and through September 1, 2015, and November 3, 2015, Respondent saw the
13 patient and made minor adjustments to her medications including adding a prescription for
14 metformin²⁰ for off label metabolic syndrome and weight loss associated with medications and
15 lifestyle. Respondent listed the patient's current medications; however, the list does not include
16 oxycodone or carisoprodol that had been prescribed by another provider.²¹

17 52. In November 2015, the patient filled prescriptions for 120 tabs of oxycodone HCL,
18 120 tabs of carisoprodol, 240 tabs of Norco from provider DMK, another 20 tabs of Norco from a
19 physician's assistant, and 90 tabs of clonazepam from Respondent.

20 53. In December 2015, the patient filled prescriptions for 90 tabs of 30 mg of oxycodone
21 HCL and 240 tabs of Norco from provider DMK.

22 54. On or about January 8, 2016, the patient saw Respondent again who reported that she
23

24 ²⁰ Metformin is the generic name for the brand name drugs Fortamet, Glucophage,
25 Glucophage XR, Glumetza, and Riomet, which is an oral diabetes medicine that helps control
26 blood sugar levels and is used together with diet and exercise to improve blood sugar control in
27 adults with type 2 diabetes mellitus. However, it is not for treating type 1 diabetes.

28 ²¹ In fact, Respondent never included the opiate oxycodone HCL as part of the patient's
medications throughout the rest of his treatment of her up to the last progress note the Board
obtained dated May 30, 2018. He also failed to include the controlled substance carisoprodol in
the patient's medications up to the last refill of this prescription on January 12, 2016.

1 had fractured her left ankle around Thanksgiving when she fell and tripped over something;
2 however, he failed to document any additional information about how or why she fell and if it
3 was related to sedation from her medications. In addition, he failed to correlate patient and
4 family reports and clinical observations of excessive sedation in the patient who was taking
5 benzodiazepines along with opiates and other psychiatric medications.

6 55. In January 2016, the patient filled prescriptions for 90 tabs of 30 mg oxycodone HCL,
7 120 tabs of carisoprodol, 240 tabs of Norco from provider DMK, and 90 tabs of clonazepam from
8 Respondent.

9 56. In February 2016, the patient filled a prescription for 90 tabs of clonazepam from
10 Respondent, and 90 tabs of 30 mg of oxycodone HCL from provider DMK.

11 57. In March 2016, the patient filled prescriptions for 240 tabs of Norco, and 90 tabs of
12 30 mg oxycodone HCL from provider DMK.

13 58. On or about March 16, 2016, Respondent saw the patient who was still taking Norco
14 two tablets 1 to 2 times a day as needed, 1 mg of clonazepam in the morning and an additional 1-
15 2 mg daily for what the patient calls "panic attacks." He noted that the patient showed some signs
16 of psychomotor slowing and was anhedonic.²²

17 59. In April 2016, the patient filled prescriptions for 90 tabs of clonazepam from
18 Respondent, 180 tabs of Norco, and 90 tabs of 30 mg of oxycodone HCL from provider DMK.

19 60. In May 2016, the patient filled prescriptions for 90 tabs of clonazepam from
20 Respondent, 180 tabs of Norco, and 90 tabs of 30 mg of oxycodone HCL from provider DMK.

21 61. In June 2016, the patient filled prescriptions for 120 tabs of Norco and 90 tabs of 30
22 mg of oxycodone HCL from provider DMK.

23 62. On or about June 20, 2016, the patient saw Respondent again, who stated she felt very
24 depressed and does not feel like doing anything. She reported that she was sleeping well at night,

25
26 ²² Anhedonic relates or refers to anhedonia, which is defined as a loss of the capacity to
27 experience pleasure and the inability to gain pleasure from normally pleasurable experiences.
28 Anhedonia is a core clinical feature of depression, schizophrenia, and some other mental signs
illnesses.

1 but was staying in bed until 3 p.m., not sleeping. Respondent noted that the patient had
2 psychomotor retardation, was hypersomnolent,²³ and had vegetative and retarded features of
3 depression. Even though the patient had been noted to have psychomotor retardation on several
4 visits, he felt it was "more of a cognitive slowing than a physical slowing;" however, he did state
5 that at the time the patient appeared to be a little bit overly intoxicated, sluggish and stumbles
6 around a little bit. She had not been taking the aripiprazole for two weeks due to insurance
7 coverage issues, so part of Respondent's plan was to replace that with a trial of lithium
8 carbonate.²⁴

9 63. In July 2016, the patient filled prescriptions for 120 tabs of Norco, 90 tabs of 30 mg¹³
10 of oxycodone HCL from provider DMK, and 90 tabs of 1 mg of clonazepam from Respondent.

11 64. In August 2016, the patient filled prescriptions for 120 tabs of Norco and 90 tabs of
12 30 mg of oxycodone HCL from provider DMK, and 120 tabs of 1 mg clonazepam from
13 Respondent.

14 65. On or about August 29, 2016, Respondent saw the patient and noted she was last seen
15 on July 7, 2016, by a nurse practitioner in his absence; however, there is no progress note in the
16 patient's chart documenting that visit. Respondent noted that the patient "really feels no better
17 with the medication", was inactive, avoiding social contact and her sleep was impaired. She was
18 still taking clonazepam 1 mg in the morning and 1-2 mg for "overwhelming anxiety." He,
19 however, failed to consider how the chronic benzodiazepine prescription in this patient were
20 actually complicating her difficulties and that the rebound anxiety and insomnia could have been

21 //

22
23 ²³ Hypersomnolent is excessive sleeping or sleepiness, as in any of a group of sleep disorders.

24 ²⁴ Lithium carbonate is a medication that is used to treat manic-depressive disorder
25 (bipolar disorder) and works to stabilize the mood and reduce extremes in behavior by restoring
26 the balance of certain natural substances (neurotransmitters) in the brain. Some of the benefits of
27 continued use of this medication include decreasing how often manic episodes occur and
28 decreasing the symptoms of manic episodes such as exaggerated feelings of well-being, feelings
that others wish to harm you, irritability, anxiousness, rapid/loud speech, and aggressive/hostile behaviors.

1 a consequence of her long-term benzodiazepine addiction. He added 40 mg of Latuda²⁵ to her
2 medications, and increased the dosage to 80 mg with all other medications to remain the same.

3 66. In September 2016, the patient filled prescriptions for 120 tabs of Norco and 90 tabs
4 of 30 mg of oxycodone HCL from provider DMK, and 32 tabs²⁶ of 1 mg of clonazepam from
5 Respondent.

6 67. On or about September 21, 2016, Respondent saw the patient who stated that "she
7 feels a little physically shaky;" however, he failed to determine why the patient was feeling
8 physically shaky and if it was a response to her medications or something else. He further failed
9 to document why the patient required an additional eight-day early supply of the benzodiazepine
10 clonazepam when she had filled a supply of 120 tabs of 1 mg tablets on August 29, 2016.

11 68. In October 2016, the patient filled prescriptions for 120 tabs of Norco and 90 tabs of
12 30 mg of oxycodone HCL from provider DMK, and 32 tabs of clonazepam from Respondent.

13 69. In November 2016, the patient filled prescriptions for 120 tabs of 1 mg clonazepam
14 from Respondent, 120 tabs of Norco, and 90 tabs of 30 mg oxycodone HCL from provider DMK.

15 70. In December 2016, the patient filled prescriptions for 120 tabs of 1 mg of clonazepam
16 from Respondent.

17 71. In January 2017, the patient filled prescriptions for 120 tabs of Norco and 90 tabs of
18 30 mg of oxycodone HCL from provider DMK, and 120 tabs of 1 mg of clonazepam from
19 Respondent.

20 72. On or about January 6, 2017, Respondent saw the patient and noted she was last seen
21 on November 29, 2016; however, there is no progress note in the patient's chart for that visit. On
22 this visit, the patient reported high levels of anxiety and excessive daytime sleepiness and fatigue
23 despite sleeping 10-12 hours a night. He, however, failed to consider how the chronic

24 ²⁵ Latuda is the brand name for the generic drug lurasidone, which is an antipsychotic
25 medicine that works by changing the effects of chemicals in the brain. It is used to treat
26 schizophrenia in adults and teenagers who are at least 13 years old. It is also used to treat episodes
27 of depression associated with bipolar disorder (bipolar depression) in adults and children who are
28 at least 10 years old.

²⁶ The patient had filled a 30-day prescription for 120 tabs of 1 mg of clonazepam from
Respondent on August 29, 2016.

1 benzodiazepine prescription in this patient with a known past history of alcoholism and drug
2 addiction were actually complicating her difficulties and that her rebound anxiety could well have
3 been a consequence of her long term benzodiazepine addiction. She reported that she snores at
4 night and inquired about possibly having sleep apnea,²⁷ but had never had a sleep study; however,
5 Respondent failed to refer her for a consultation for a sleep study to determine if she had sleep
6 apnea. He again noted that her "medications do not appear to be working well" and his
7 assessment was that the patient's medications were currently ineffective. He started her on a trial
8 of 1 mg of Rexulti²⁸ at bedtime, decreased the Latuda with the intention to discontinue it, fully
9 discontinued venlafaxine XR, and increased the mirtazapine from 15 mg to 30 mg at bedtime as
10 an antidepressant; however, he had planned to discontinue this medication in October 2013.

11 73. In February 2017, the patient filled prescriptions for 120 tabs of Norco and 90 tabs of
12 30 mg of oxycodone HCL from provider DMK, and 120 tabs of clonazepam from Respondent.

13 74. On or about February 23, 2017, the patient saw Respondent again who listed
14 venlafaxine XR 75 mg as part of the patient's current medications; however, Respondent had
15 planned to fully discontinue this medication on the prior visit. Respondent reported that the
16 patient "is not doing well, maybe worse. She cries all the time" and is "very depressed." He
17 increased the mirtazapine to 45 mg at bedtime and added 100 mg of trazodone²⁹ at bedtime with
18 potential to increase it to 300 mg as needed.

19
20 ²⁷ Sleep apnea is a condition in which breathing stops for more than ten seconds during
21 sleep and is a major, though often unrecognized, cause of daytime sleepiness. It can have serious
22 negative effects on a person's quality of life and is thought to be considerably underdiagnosed in
23 the United States.

24 ²⁸ Rexulti is the brand name of the generic drug brexpiprazole, which is an antipsychotic
25 medication that works by changing the actions of chemicals in the brain. It is used to treat the
26 symptoms of schizophrenia and is also used together with other medications to treat major
27 depressive disorder in adults.

28 ²⁹ Trazodone is the generic name of the brand name drugs Desyrel, Desyrel Dividose, and
Oleptro, which is an antidepressant that belongs to a group of drugs called selective serotonin
reuptake inhibitors (SSRIs) that works by helping to restore the balance of a certain natural
chemical (serotonin) in the brain that may be unbalanced in people with depression. It is used to
treat major depressive disorder and may help to improve one's mood, appetite, and energy level
as well as decrease anxiety and insomnia related to depression.

1 75. In March 2017, the patient filled prescriptions for 120 tabs of Norco and 90 tabs of 30
2 mg of oxycodone HCL from provider DMK, and 120 tabs of clonazepam from Respondent.

3 76. On or about March 16, 2017, the patient saw Respondent, who was not doing well
4 and has been more depressed and is not getting out of the house very often. He noted that she is
5 "not responsive to [her] current medication regimen" and failed to note that the patient's current
6 medications included 300 mg of trazodone, which he had added on the prior visit. He increased
7 the mirtazapine to 60 mg at bedtime. He discontinued Rexulti for a trial of 1.5 mg of Vraylar³⁰ for
8 a week to increase to 3 mg.

9 77. In April 2017, the patient filled prescriptions for 120 tabs of Norco and 90 tabs of 30
10 mg of oxycodone HCL from provider DMK.

11 78. On or about April 19, 2017, Respondent saw the patient and noted she was last seen
12 on November 29, 2016; however, according to the progress notes, Respondent had seen the
13 patient in January, February and March 2017, and there is no progress note for the November
14 visit in the patient's chart. Respondent listed venlafaxine XR 75 mg as part of the patient's
15 current medications; however, he had planned to fully discontinue this medication in January.
16 Respondent's progress note for this visit is identical to the progress note from February, including
17 his plan, and he failed to include trazodone in the patient's current medications, which he had
18 added during the February visit.

19 79. In May 2017, the patient filled prescriptions for 120 tabs of Norco and 90 tabs of 30
20 mg of oxycodone HCL from provider DMK, and 60 tabs of 5 mg diazepam³¹ from Respondent.

21 80. On or about May 11, 2017, the patient saw Respondent, who noted she was last seen
22 on April 2, 2017; however, she had actually been seen on April 19, 2017, according to the.

23
24 ³⁰ Vraylar is the brand name for the generic drug cariprazine, which is an antipsychotic
25 medication that affects chemicals in the brain and is used to treat schizophrenia in adults and is
26 also used to treat manic or mixed episodes in adults with bipolar disorder type I.

26 ³¹ Diazepam is the generic name for the brand name of valium, which is a benzodiazepine,
27 which affects chemicals in the brain that may be unbalanced in people with anxiety and is used to
28 treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms and is sometimes used
with other medications to treat seizures.

1 patient's chart. The patient reported she has taken up to 6 mg of clonazepam a day, more than the
2 prescribed and maximum dosage³² a day, and "claims compliance with all medications" despite
3 taking more clonazepam than prescribed. He further noted that the patient had taken 5 mg of
4 diazepam and "got fairly quick relief from that drug"; however, it is unclear where the patient
5 obtained this medication as Respondent's plan for this visit was to discontinue clonazepam for a
6 trial of diazepam. Respondent further listed venlafaxine XR 75 mg as part of the patient's current
7 medications and his plan to increase it to 150 mg in the morning; however, he had planned to
8 fully discontinued this medication in January according to his documented plan. Additionally,
9 Respondent failed to include trazodone to the list of the patient's current medications even though
10 he had added it to her medication regimen in February 2017.

11 81. On or about May 17, 2017, Respondent claims the patient sent him an e-mail stating
12 that her new regimen had not helped her tremors and shaking, and she felt dizzy all the time.
13 Respondent claims he replied that she may be experiencing withdrawals from Klonopin
14 (clonazepam) and that she should increase the valium (diazepam) to 5 mg three times a day;
15 however, there are no e-mails contained in the certified records provided to the Board.

16 82. On or about May 31, 2017, Respondent saw the patient who reported that she was not
17 doing well, was very depressed and was dizzy upon rising. He noted that "the patient's
18 medications, particularly trazodone, may be contributing to her dizziness" as well as her low
19 blood pressure, and had significant psychomotor retardation and was as bad or worse than the last
20 time he saw her. Respondent, however, failed to consider how the chronic benzodiazepine
21 prescription and opiate use were actually complicating her difficulties and that her dizziness could
22 have been a consequence of the use of benzodiazepines and opiates. His plan was to increase the
23 venlafaxine XR to 150 mg every morning; however, he had planned to fully discontinue this
24 medication in January according to his documented plan. He also documented that the patient's
25 current medications included clonazepam, which he planned to discontinue for a trial of diazepam
26 at the prior visit, and he failed to document the patient's further response to the trial of diazepam

27
28 ³² The Physician's Desk Reference (PDR) specifies that 4 mg of the benzodiazepine
clonazepam is the maximum dosage per day for treatment of panic disorder.

1 from the prior visit.

2 83. In June 2017, the patient filled prescriptions for 120 tabs of Norco and 90 tabs of 30
3 mg of oxycodone HCL from provider DMK, and 60 tabs of 0.5 mg of diazepam and 120 tabs of 1
4 mg of clonazepam from Respondent; however, his plan at the last visit was to discontinue the
5 clonazepam for a trial of diazepam.

6 84. In July 2017, the patient filled prescriptions for 120 tabs of 30 mg oxycodone HCL,
7 120 tabs Norco from provider DMK and 120 tabs of 1 mg clonazepam from Respondent.

8 85. Respondent claims that the patient's mother e-mailed him on July 26, 2017, that the
9 valium was not working well. The patient wanted to go back on clonazepam instead, and that he
10 responded that he would call in a prescription to the pharmacy and that she should stop taking the
11 valium and restart clonazepam 1 mg twice a day; however, there is no e-mail in the certified
12 records the Board obtained.

13 86. In August 2017, the patient filled prescriptions for 120 tabs of tabs of 30 mg of
14 oxycodone HCL from provider DMK, and 120 tabs of clonazepam and 30 tabs of 20 mg of
15 methyphenidate hydrochloride ³³ from Respondent.

16 87. On or about August 29, 2017, the patient saw Respondent again, who noted that on
17 June 26, 2017, the patient was seen by a nurse practitioner in his absence; however, there is no
18 progress note in the patient's chart for that visit. Respondent further noted that the patient had
19 sent him an e-mail last week about her condition; however, there is no e-mail included in the
20 patient's chart obtained by the Board. He further documented that the patient's current
21 medications included clonazepam, which he planned to discontinue for a trial of diazepam at the
22 May visit, and he failed to explain the discrepancy in his progress note. The patient asked about
23 stimulants and discussed augmenting her medications. His plan was to add 20 mg of

24 ³³ Methyphenidate hydrochloride (HCL) is the generic name for the Schedule II controlled
25 substance brand name drugs Adhansia XR, Aptensio XR, Concerta, Cotempla XR-ODT, Jornay
26 PM, Metadate CD, Metadate ER, Methylin, QuilliChew ER, Quillivant XR, Relexxii, Ritalin,
27 Ritalin LA, which is a central nervous system stimulant and affects chemicals in the brain and
28 nerves that contribute to hyperactivity and impulse control and is used to treat attention deficit
disorder (ADD), attention deficit hyperactivity disorder (ADHD), and narcolepsy and may also be
used for purposes not listed in this medication guide.

1 methyphenidate HCL extended-release in the morning for the patient's refractory depression.

2 88. In September 2017, the patient filled prescriptions for 120 tabs of 30 mg of
3 oxycodone HCL from provider DMK, and 120 tabs of clonazepam from Respondent.³⁴

4 89. On or about October 3, 2017, Respondent saw the patient again and noted her current
5 medications included clonazepam, which he planned to discontinue for a trial of diazepam at the
6 May visit, and 300 mg of venlafaxine XR every morning which he had fully planned to
7 discontinue in January according to his documented plan. Respondent's plan on this visit was to
8 discontinue Ritalin, as it was not effective, and to add 10 mg of doxepin³⁵ at bedtime for sleep.

9 90. On or about November 6, 2017, Respondent saw the patient and documented her
10 current medications included clonazepam, which he planned to discontinue for a trial of diazepam
11 in May, and 300 mg of venlafaxine XR every morning which he had planned to fully discontinue
12 this medication in January, according to his documented plan.

13 91. Respondent claims that the patient's mother e-mailed him on November 8, 2017,
14 stating that the patient's doctor (DMK) who had been prescribing the patient the opioids Norco,
15 cardisopodol and oxycodone HCL, "asked if you could state in her files that 'clonazepam and
16 opioids for her the benefits outweigh the risks.'" There is no e-mail in the certified patient
17 records provided to the Board. He asserts this was the first time the patient mentioned this
18 provider; however, if he had run a CURES report on the patient when he was notified in February
19 2016 that the patient had filled prescriptions for Klonopin from another provider while receiving
20 the same medication from him, he would have seen that this physician had been prescribing large
21 quantities of opiates and other controlled substances to the patient. Additionally, Respondent was
22 aware on several occasions that the patient was taking more benzodiazepines than prescribed, but
23

24
25 ³⁴ This is the last month that the patient's CURES report covers that the Board obtained in
the course of the investigation.

26 ³⁵ Doxepin also known as sinequan or other generic names, is a tricyclic antidepressant
27 that affects chemicals in the brain that may be unbalanced to treat depression or anxiety and is
28 used to treat symptoms of depression and/or anxiety associated with alcoholism, psychiatric
conditions, or manic-depressive conditions.

1 failed to run a CURES report at those times to determine if the patient was receiving additional
2 medications from other providers.

3 92. On or about January 11, 2018, Respondent saw the patient again and documented that
4 her current medications included clonazepam and 300 mg of venlafaxine XR every morning, both
5 of which he had previously planned to discontinue; however, he failed to document an
6 explanation for the discrepancies. He also included that the patient was taking 1 mg of
7 varenicline³⁶ twice daily; however, this medication was not listed as one of the patient's current
8 medications on the last five visits.

9 93. On or about May 30, 2018, Respondent saw the patient who was not doing well due
10 to multiple stressors in her life and "really does not want any more medications" and "takes quite
11 a few." Respondent made no changes to her medications and gave her a referral to a therapist.

12 94. Apparently, Respondent continued to see the patient in October 2018, and was not
13 doing well, but was not forthcoming why she had failed to see him in the intervening time. He
14 saw her again in November.

15 95. She reportedly saw him again in December 2018, was anxious and depressed and
16 reported some confusion over her medication dosage as she had started Saphris³⁷ and when the
17 dosage was increased, she was taking more than prescribed. She again reported having trouble
18 taking more clonazepam than was prescribed. His plan was to reconsider reducing it after the
19 holidays; however, he failed to consider that this was suggestive of tolerance and addiction as
20 well as rebound anxiety.

21 96. He reportedly saw her again in February and March 2019.

22 97. On or about April 18, 2019, the patient saw Respondent again and reported stopping
23

24 ³⁶ Varenicline is the generic name of the brand name drug known as Chantix, which is a
25 prescription medication used to treat smoking addiction. This medication is the first approved
26 nicotinic receptor partial agonist.

27 ³⁷ Saphris is the brand name for the generic drug asenapine, which is an antipsychotic
28 medication and works by changing the actions of chemicals in the brain. Sublingual tablets are
used to treat schizophrenia in adults, and bipolar I disorder in adults and children who are at least
10 years old and may be used alone. In adults, it may be used in conjunction with lithium or
valproate.

1 all of her medication 4 -5 days before because she did not feel they were working. She reported,
2 once again, that she been taking up to 6 mg of clonazepam a day, more than prescribed and the
3 maximum daily dose allowed, and the abrupt cessation had caused withdrawal symptoms. She
4 was shaky, crying, anxious, dysphoric, and depressed. He continued the prescription for
5 clonazepam and she missed her next scheduled appointment.

6 98. On or about May 2, 2019, Respondent saw the patient who was still anxious and had
7 troubled sleeping. He added Zoloft³⁸ for her anxiety and appears to have continued her other
8 medications, including the clonazepam.

9 99. On May 30, 2019, the patient saw Respondent and noted she was still anxious and
10 had trouble sleeping. He prescribed her another medication and asked that she report on its
11 effectiveness in one week; however, it does not appear that the patient did this or if she did it was
12 not documented in the patient's chart.

13 100. On or about July 19, 2019, the patient was admitted to the CHOMP inpatient unit for
14 severe depression and alcohol abuse leading to an inability to care for herself. She was actively
15 suicidal and had quit eating and started drinking alcohol due to significant life stressors. She was
16 subsequently discharged on August 4, 2019, and was seen by Respondent a few days later.

17 101. Respondent reportedly saw the patient again on September 4, 2019, and she was
18 depressed, anxious, and having trouble coping. When he reviewed her medications, it was clear
19 the patient had not been taking her medications as prescribed.

20 102. Throughout the time Respondent treated the patient she was taking opiates while he
21 prescribed the benzodiazepine clonazepam. The long-term use of benzodiazepines can lead to
22 dose escalation and worsening of the underlying condition. When asked if he had any concerns
23 that the patient was taking opiates and benzodiazepines at the same time, Respondent stated that
24 he had "concerns in general combining opiates with benzodiazepines" but the patient was on a

25
26 ³⁸ Zoloft is the brand name for the generic drug sertraline, which is an antidepressant
27 belonging to a group of drugs called selective serotonin reuptake inhibitors (SSRIs), and affects
28 chemicals in the brain that may be unbalanced in people with depression, panic, anxiety, or
obsessive-compulsive symptoms. It is used to treat depression, obsessive-compulsive disorder,
panic disorder, anxiety disorders, post-traumatic stress disorder (PTSD), and premenstrual
dysphoric disorder (PMDD).

1 relatively low dose of clonazepam and “she never experienced or evidenced any sedation or drug
2 interaction.” Respondent, however, had documented that the patient’s children were concerned
3 that she was overmedicated, had shown signs of psychomotor retardation, dizziness, was
4 hypersomnolent, had vegetative and retarded features of depression, was fatigued frequently and
5 had excessive daytime sleepiness. He had also documented that at times the patient appeared to
6 be a little bit overly intoxicated, sluggish and stumbles around a little bit, among other things.
7 Further, Respondent was well aware that the patient had been combining benzodiazepines with
8 opiates throughout his care and treatment often taking more than prescribed.

9 103. When Respondent was asked if he was familiar with DMK and his general
10 prescribing practices, he acknowledged that he was aware DMK prescribed excessive quantities
11 of opiates.

12 104. Respondent’s acts and omissions constitute gross negligence in his care and treatment
13 to Patient A when he:

14 A. Continued long-term prescriptions of the benzodiazepine clonazepam to the patient
15 with a known history of alcohol and substance abuse, and had admitted to taking more than
16 prescribed;

17 B. Prescribed the benzodiazepine clonazepam to a patient who is also taking opiates and
18 had a known history of alcohol and substance abuse;

19 C. Failed to correlate patient and family reports and clinical observations of excessive
20 sedation while prescribing the benzodiazepine clonazepam in conjunctions with other psychiatric
21 medications in a patient who was also taking opiates; and

22 D. Failed to adequately diagnose and investigate the patient's history of alcohol and
23 substance abuse and include this in both his prescribing and treatment plans.

24 **SECOND CAUSE FOR DISCIPLINE**

25 (Repeated Negligent Acts)

26 105. Respondent Eric Michael Jacobson, M.D. is subject to disciplinary action under
27 section 2234, subdivision (c), in that he committed acts and omissions constituting repeated
28 negligent acts in his care and treatment of Patient A. The circumstances are as follows:

1 106. Paragraphs 12 through 103, above, inclusive are incorporated by reference as if fully
2 set forth herein.

3 107. Respondent committed acts and omissions constituting repeated negligent acts in his
4 care and treatment to Patient A when he:

5 A. Continued long-term prescriptions of the benzodiazepine clonazepam to the patient
6 with a known history of alcohol and substance abuse, and had admitted to taking more than
7 prescribed;

8 B. Prescribed the benzodiazepine clonazepam to a patient who is also taking opiates and
9 had a known history of alcohol and substance abuse;

10 C. Failed to correlate patient and family reports and clinical observations of excessive
11 sedation while prescribing the benzodiazepine clonazepam in conjunctions with other psychiatric
12 medications in a patient who was also taking opiates; and

13 D. Failed to adequately diagnose and investigate the patient's history of alcohol and
14 substance abuse and include this in both his prescribing and treatment plans.

15 **THIRD CAUSE FOR DISCIPLINE**

16 (Failure to Maintain Adequate and Accurate Records)

17 108. Respondent Eric Michael Jacobson, M.D. is subject to disciplinary action under
18 section 2266, in that he failed to maintain adequate and accurate records in his care and treatment
19 of Patient A. The circumstances are as follows:

20 109. Paragraphs 12 through 103, above, inclusively are incorporated by reference as if
21 fully set forth herein.

22 **DISCIPLINARY CONSIDERATIONS**

23 110. To determine the degree of discipline, if any, to be imposed on Respondent Eric
24 Michael Jacobson, M.D., Complainant alleges that in a prior disciplinary action entitled *In the*
25 *Matter of the Accusation Against Eric Michael Jacobson, M.D.*, Case Number 800-2014-009435,
26 Respondent's license was publically reprimanded, effective May 9, 2018, for repeated negligent
27 acts and failure to maintain adequate and accurate records in his care and treatment of a single
28 patient. That decision is now final and is incorporated by reference as if fully set forth herein.

